





BLOCK DIAGRAM





PAGE TITLE












01. BLOCK DIAGRAM
02. CPU MAIN & PCIE
03. CPU MEMORY & GND
04. CPU POWER
05. DDRIII A
06. DDRIII B
07. PCH MAIN
08. PCH CLOCK & DISPLAY
09. PCH POWER & GND
10. LPC SIO & H/W MONITOR
11. PCI & PCIE X1 SLOT & SDVO SLOT
12. HD AUDIO
13. PCIE X 16 SLOT
14. POWER,USB & FRONT CONN.
15. CLOCK GEN.
16. CPU POWER PWM
17. CPU POWER DRIVER
18. SYSTEM POWER I
19. SYSTEM POWER II
20. RTL8105T PCI-E LAN



www.aitech1.ru












CPU Socket BOT SIDE

www.aitech1.ru































www.aitech1.ru











	VSA_SEL
HI	0.85V
LO	0.925V


Modify
2010-7-28

www.aitech1.ru





捷新廠 1 F04-178-1-F



F04-104 3Audio 小 廖

JP1(1-2)
SPBK-F



SHUNT
JUMPER

JUMPER YELLOW 磁筒軟線

BAT1 SB-F



BATTERY HOLDER 磁筒軟線

I61M2R00 230X175



JBAT1(1-2)
SPBK-F



SHUNT
JUMPER

JUMPER YELLOW 磁筒軟線

www.aitech1.ru